

**Revolutionary
Two-Way Voice Pendant
Personal Emergency Response System**



The Difference is the Technology



*The world's smallest
2-way voice speakerphone
pendant communicator*



Crystal Clear 2-way Voice..... To Your Central Station

Your Central Station



Local Emergency Services



Emergencies can happen anywhere in one's home and even in the yard or driveway. LifeSentry will allow one to communicate their message instantly and efficiently from anywhere in and around their home to get help fast. All this with ONE button activation. The pendant is water-resistant - so it can even be taken into the shower.

LifeSentry is truly the ultimate Personal Emergency Response System. Its patented two-way voice right through the pendant is revolutionizing the industry.

LifeSentry offers the BEST RANGE in the industry:

Voice coverage for typical Personal Emergency Response System



With a standard personal emergency response system, the end user is limited because they have to be within “range” to hear the central station talking to them. If they are too far away, they cannot hear, or more importantly, explain what the emergency is!

LifeSentry: Full house coverage



LifeSentry will allow your customer to communicate their emergency message instantly from within many hundreds of feet from their base station. The system should cover an average American home and well into the front, back and side yards.

Programmable features: LifeSentry is easily programmed to any central station. All programming is aided by voice prompt menus. Programmable options include:

- Enter a primary and secondary telephone number and a 4 digit user ID code

- Choose your own 4 digit dealer security code

- Choice of periodic test interval with central station (daily, weekly or monthly)

- Choice of transmitting restoral codes or not

- Choice of “Contact ID” or “4+2” transmission formats


- All features can even be programmed or downloaded remotely over the phone line.

Full Supervision: All pendants and Emergency Wall Communicators are fully supervised checking in with the base unit every 13 hours. In the event of a power outage (after 8 hours), pendant low battery or loss of RF signal (for more than 52 hours), the central station is contacted.

Central Station: No longer does the central station operator have to toggle “1” and “3” for a conversation. Clear full duplex voice communication is automatic. Unlimited talk time. System will hang up after 3 minutes of silence. The central station can use a “7” to extend the time another 3 minutes. A “9” will force a hang-up.

Optional Accessory - Emergency Wall Communicator:

This wireless water-resistant device is designed to mount on a wall. Mount one next to the bed-side table or even next to the shower in the bathroom. These permanently mounted communicators allow for full two-way voice communication anytime an emergency occurs. Particularly handy if one forgets to carry their pendant with them to the bathroom in the middle of the night. Operates for 10 months in standby on 4 AAA alkaline batteries - and provides over 5 hours of talk time.





RMR through your Central Station



Water Resistant The pendant allows one to summon help even if they are in the bath or shower, where serious accidents can happen. The pendant and Emergency Wall Communicator meet the IPX-5 water spray test.

Voice Prompted System Provides announcements during set-up, programming, testing, battery test and full system check.

Pendant Battery A lithium-ion battery provides over 4 hours of talk time on a full charge, and up to 4 months in stand-by. Two rechargeable batteries are included. One pendant battery charges in the base station charger, while the other battery is in the pendant. Simply swap the batteries around every few months. Press the battery test button on the back of the pendant for a second to hear an audible announcement - "battery is OK", "battery is low", or "replace battery now". No more guessing.

System has Standby Emergency Battery Power 4 NiMh rechargeable batteries continually charge in the base station to provide up to 24 hours of standby power in the event of a power failure.

Central Station Compatible Uses industry standard "Contact ID" transmission format or "4+2" format.

Fully Supervised The pendant checks in with the base station every 13 hours to confirm its battery status and that it is functioning. In the event of, power loss, a very low battery or loss of RF signal - the base will relay the information to the central station.

Line-Seizure Built-in line-seizure relay.

Answer the Phone An incoming call can be answered with the pendant if desired.

Multiple Devices Up to a total of 4 pendants & Emergency Wall Communicators can be taught to a single base station. Great for senior group homes.

Pendant can be carried in 3 convenient ways. Included with each system is a Lanyard, a Wrist/Wheelchair Strap holder and a Belt Clip.

Approved in all 50 states and Canada. FCC & DOC certified. Factory is ISO-9001 approved. DECT Technology - 1.9 Ghz. Conforms to UL1635 and UL1637.

Shipping weight: 1.9 lbs each (3 per inner carton - 12 per master carton)

Patented Technology.

LifeSentry Kit: Model #37911



Base Station



Pendant

Optional Accessory:
Emergency Wall Communicator
Model #37920



8625 Hampton Way
Fairfax Station, Virginia 22039
Tel: 800-519-2419 703-934-7934 Fax: 703-934-7935
www.LogicMarkSecurity.com

1 Year Limited Warranty
Flyer #7100

US Patent #5,521,582
Canadian Patent #2,080,921
Other Patents Pending
Copyright 2011 LogicMark,LLC



version 1.1